

TECHNICAL BULLETIN

☐ NEW TEST ☒ TEST CHANGE

NOTIFICATION DATE: 10/25/2023

EFFECTIVE DATE: Immediate

Estradiol (E2)

On the effective date, as part of our continuing efforts to deliver clinically relevant laboratory services, we are updating our interpretive data for Estradiol.

The updated interpretive values are as follows:

Test Result/Parameters	New	Previous
Reference Interval	Healthy men 11 - 43 pg/mL Healthy Women Follicular phase 31-90 pg/mL Ovulation phase 60-533 pg/mL Luteal phase 60-232 pg/mL Healthy Pregnant Women 1 st trimester 154 - 3243 pg/mL 2 nd trimester 1561 - 21280 pg/mL 3 rd trimester 8525 - >30000 pg/mL Healthy Postmenopausal Women <5 - 138 pg/mL	Healthy men 11 - 43 pg/mL Healthy Women Follicular phase 12 - 233 pg/mL Ovulation phase 41 - 398 pg/mL Luteal phase 22 - 341 pg/mL Healthy Pregnant Women 1 st trimester 154 - 3243 pg/mL 2 nd trimester 1561 - 21280 pg/mL 3 rd trimester 8525 - >30000 pg/mL Healthy Postmenopausal Women <5 - 138 pg/mL

Computer Interface Code: **PDM #5302160**

Test Order: **E2**



If you have any questions, please contact Client Services at (800) 472-5757.

Northwell Health® Labs